






























































































syngenta

Pregled
registracija u
povrću

www.syngenta.hr

Pregled registracija insekticida u povrću po kulturama

* u postupku registracije

<p>Teflutrin 15 g/kg</p> <p>Force®</p> <p>doza: 7 - 10 kg/ha</p>	                 
<p>Tiametoksam-250 g/kg</p> <p>Actara®</p> <p>doza: 20 - 40 g/100 l</p>	           
<p>Lambda – cihalotrin 50g/lit</p> <p>KarateZeon®</p> <p>doza: 15 - 20 ml/100 l</p>	            
<p>Abamektin 18g/kg</p> <p>Vertimec®</p> <p>doza: 60 - 80 ml/100 l</p>	        
<p>Emamktin benzoat 9,5g/kg</p> <p>Affirm®</p> <p>doza: 150 g/100 l</p>	       
<p>Pirimikarb 500 g/kg</p> <p>Pirimor®</p> <p>doza: 40 - 60 g/100 l</p>	                
<p>Pimetrozin 500 g/kg</p> <p>Chess®</p> <p>doza: 40 - 60 g/100 l</p>	   
<p>Lufenuron 50g/lit</p> <p>Match®</p> <p>doza: 100 - 200 ml/100 l</p>	  
<p>Metil-pirimifos 500g/lit</p> <p>Actellic®</p> <p>doza: 80 ml/100 l</p>	      
<p>Fostiazat 100g/kg</p> <p>Nemathorin 10G</p> <p>doza: 30 kg/ha</p>	 

Pregled registracija fungicida u povrću po kulturama

<p>Klorotalonil 720g/lit</p> <p>Daconil</p> <p>doza: 180 – 200 ml/ 100 l</p>	14	7		4	4	7			48	14	3			
<p>Azoksistrobin -250 g/kg</p> <p>Ortiva Quadris</p> <p>doza: 80 -100 ml/100 l</p>	7	3	3	3	3	14		14	14	14	28	3	35	
<p>Metalaksil M 50g/kg+MZ-600g/kg</p> <p>RidomilGold^{MZ}</p> <p>doza: 250 g/100 l</p>	21	14	14	21	14		21		14	21				
<p>Metalaksil M 465g/lit</p> <p>FonganilGold</p> <p>doza: 20 -70 ml/ 100 l</p>			15		20	5	20	15						
<p>Mandipropamid 50g/kg+MZ-600g/kg</p> <p>PergadoMZ</p> <p>doza: 250 g / 100 l</p>	7	14	7	5				21						
<p>Mandipropamid 250g/lit</p> <p>Revus</p> <p>doza: 40 - 60 ml/100 l</p>	3	3	3											
<p>Bakreni oksid 750 g/kg</p> <p>Nordox 75 WG</p> <p>doza: 150 g/100 l</p>	7	14	OVP		14									
<p>Ciprodinil-375g/kg+Fludioksanil 250g/kg</p> <p>Switch</p> <p>doza: 60 - 80 g/100 l</p>	7	7	7					14	14	14	7			
<p>Sumpor 800g/kg</p> <p>ThiovitJet</p> <p>doza: 250 - 350 g/100 l</p>	14	14	7	14	14	14	14	14	14	7		14		
<p>Difenkonazol 250g/lit</p> <p>Score250EC</p> <p>doza: 40 - 50 ml/100 l</p>						21		21	14		14	14	14	14
<p>Propikonazol 100g/lit</p> <p>Topas</p> <p>doza: 40 - 50 ml/100 l</p>				3	3									21
<p>Fluazinam - 500g/lit</p> <p>Shirlan</p> <p>doza: 40 - 60 ml/100 l</p>	7									7				

Pregled registracija herbicida u povrću po kulturama

Prosulfokarb 800 g/lit

FILON® 80 EC

doza: 3 - 5 l/ha



S-metalaklor 960 g/lit

DualGold960EC®

doza: 1,25 -1,4 l/ha



Dikvat 150 g/lit

RegloneForte®

doza: 4 - 5 l/ha



Fluzifop-p-butil 150 g/lit

FusiladeForte®

doza: 1 - 2 l/ha




Ostali pripravaci izvan skupine otrova dozvoljeni za primjenu u povrću

Željezni helat 6,2 %

Sequestrene® Life

doza: 10 - 20 kg/ha



Modificiran trisioksan polieter

Etalfix® Pro

doza: 15 - 25 ml/100 l



Navedene doze u ovom programu zaštite informativnog su karaktera:

- Za kulture u crnom okviru točne doze su navedena na etiketama proizvoda
- Za kulture u crvenom okviru informacije o točnim dozama pronađite na www.syngenta.hr (Male kulture i male namjene)